

Product Code:

CARC910

Selling UOM:

Each

Pack Size:

1

• Flame Retardant, Anti-Static, ARC Fleece.

- 300gsm 60/40 Modacrylic/cotton with anti-static grid.
- Inherently flame retardant fabric.
- FR properties will not diminish with repeated laundering.

ARC COMPLIANT FLEECE JACKET NAVY

- For industrial workers exposed to heat.
- Not suitable for fire fighters.
- Front full length zip closure with storm flap
- Ribbed cuffs.
- Robust yet soft and comfortable to wear.

EN ISO 13688:2013 - General requirements for protective clothing EN 1149-3:2004 - Anti Static - Test methods for measurements of charge decay EN 1149-5:2008 - Anti Static - Material performance and design requirements EN ISO 11612:2015 (Ă1 A2 B1 C1) -Protection against heat and flame

ARC FLASH

IEC 61482-2:2009 - Performance requirements and design requirements EN 61482-1-2:2007 (Class 1 = 4kA) - Box Arc testina EN 61482-1-1:2009 (ATPV = 38.3 Cal/cm2) -

Open Arc testing Each garment style is independently tested to both box and open ARC standards.

 Click ARC production is covered by Module D quality assurance of the production process.



Packaging Waste	Туре	Units	Weight(g)	Length(mm)	Width(mm)	Height(mm)
Cardboard	Outer	1	1.160.00	634.00	414.00	294.00
Paper	Inner	10	22.69			
Plastic	Inner	10	33.42			
Tissue Paper	Inner	10	0.73			
Carton Weight:	13.96kg		0.10			



SPECIFICATION SHEE